

ROLLFIX prime

The high-performance dough sheeter also for filo dough



Passion for Dough



FRITSCH is part of
the MULTIVAC group



WWW.FRITSCH-GROUP.COM

ROLLFIX prime

Overview



Passion for Dough



FRITSCH is part of
the MULTIVAC group



21.10.2025

FRITSCH



Sheeting speed	71 m/min
Working width	650 mm
Roller diameter	98 mm
Roller gap	up to 50 mm
Infeed height of the safety guard	85 mm
Dough block processing	max. 20 kg
Footprint (LxBxH)¹⁾	4.540 x 1.300 x 1320 mm
Connected load	2.1 kW

¹⁾ For table sizes 1.600 mm & 1.600 mm in working position

ROLLFIX prime

Easy operation


New **operating concept**
for highest comfort



Automatic spooling unit
for gentle dough treatment




Continuous measuring of
dough-sheet-width by photocell



ROLLFIX prime

New operating concept for highest comfort



Completely new **operating concept** with intuitive user guidance and easy product selection.



ROLLFIX prime

Hygienic Design



Robust design made of **premium stainless steel** and plane surfaces for best hygiene properties

Quick belt release mechanism
for fast and easy cleaning

Removable brush and flour duster ensures good accessibility and proper cleaning



ROLLFIX prime

Removable brush and flour duster



Passion for Dough



FRITSCH is part of
the MULTIVAC group



ROLLFIX prime

High capacity and gentle dough sheeting

Sheeting **speed of up to 71 m/min** for a rapid process and high capacity

98 mm diameter rollers for gentle dough sheeting and highest product quality

Conveyor belts with **guide bars** for optimal belt control and long service life



ROLLFIX prime

Production of filo dough



Passion for Dough



FRITSCH is part of
the MULTIVAC group



21.10.2025

FRITSCH

